



TABLE OF CONTENTS

CLIP ONS by model	5-12
SUN by model	14-165

CLIP ON S

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.



SUN PROTECTION

FOR SILHOUETTE RIMLESS MODELS

POL

MAKE YOUR CHOICE

CLIP ONS



2 Colors



Unlimited Shapes (Uses your rimless lens shape)



Compatible with Design Family*

Dynamics Colorwave
Fusion
Inspire
Racing Collection
SPX Signia

SPX Signia Carbon
Titan Accent
Titan Accent Flora Editon
Titan Contour
Titan Minimal Art Pulse

Titan Minimal Art. The Icon
Titan Minimal Art. The MUST Collection
Titan Next Generation

*Contact Customer Service at (800) 223-0180 for a complete list.

MAKE YOUR CHOICE





STYLE SHADES

POL

2 Colors



5 Shapes



Compatible with Design Family*

Caresse
Caresse Pearl
Charming Diva
Crystal Diva
Dynamics Colorwave
Fusion
Hinge C-2

Inspire
Light Attraction
Racing Collection
SPX Signia Carbon
SPX Signia
Starlight
Titan Accent

Titan Accent Flora Edition
Titan Contour
Titan Minimal Art Pulse
Titan Minimal Art. The Icon
Titan Minimal Art. The MUST Collection
Titan Next Generation

*Contact Customer Service at (800) 223-0180 for a complete list.

STYLE SHADES – GREY

VERSION 5090 A1

to fit models with bridge



MST 861



MST 962

Compatible with models*:

5521 Titan Next Generation
5490 Titan Minimal Art Pulse
5500 Dynamics Colorwave
5515 Titan Minimal Art.
The MUST Collection

VERSION 5090 A2

to fit models with bridge



MST 907



MST 951



MST 943



MST 954

Compatible with models*:

4548 Titan Accent Flora Edition	5479 Fusion
5369 Lite Twist	5502 Racing Coll.
5379 SPX Signia	5506 Inspire
5416 Titan Contour	7581 Titan Minimal Art. The Icon
5452 Titan Accent	

VERSION 5090 A3

to fit models with bridge



MST 965

Compatible with models*:

5523 Essence

lens color:
grey with silver flash-mirror

bridge color:
grey silky-matte



O 5090 A1/A2/A3 0601
62/15 S, 64/15 L



O 5090 A1/A2/A3 0101
59/15 S, 62/15 L



O 5090 A1/A2/A3 0701
62/15 S, 64/15 L



O 5090 A1/A2/A3 0301
59/15 S, 62/15 L



O 5090 A1/A2/A3 0801
56/15 S, 58/15 L

*Contact Customer Service at (800) 223-0180 for a complete list of models.

STYLE SHADES – BROWN

VERSION 5090 B1

to fit models with bridge



MST 861



MST 962

Compatible with models*:
5521 Titan Next Generation
5490 Titan Minimal Art Pulse
5500 Dynamics Colorwave
5515 Titan Minimal Art.
The MUST Collection

VERSION 5090 B2

to fit models with bridge



MST 907



MST 951



MST 943



MST 954

Compatible with models*:
4548 Titan Accent
Flora Edition
5369 Lite Twist
5379 SPX Signia
5416 Titan Contour
5452 Titan Accent
5479 Fusion
5502 Racing Coll.
5506 Inspire
7581 Titan Minimal
Art. The Icon

VERSION 5090 B3

to fit models with bridge



MST 965

Compatible with models*:
5523 Essence

lens color:
brown with bronze flash-mirror

bridge color:
bronze silky-matte



O 5090 B1/B2/B3 0601
62/15 S, 64/15 L



O 5090 B1/B2/B3 0101
59/15 S, 62/15 L



O 5090 B1/B2/B3 0701
62/15 S, 64/15 L



O 5090 B1/B2/B3 0301
59/15 S, 62/15 L



O 5090 B1/B2/B3 0801
56/15 S, 58/15 L

*Contact Customer Service at (800) 223-0180 for a complete list of models.

HANDLING & CARE


HOW TO PUT ON:



HOW TO REMOVE:



HANDLING & CARE



POS PRESENTATION

IDEAL ASSORTMENT OF DEMO STYLE SHADES:

grey

5090 A1 0101 000L
5090 A1 0301 000L
5090 A2 0801 000L

brown

5090 B1 0702 000L
5090 B2 0602 000S

DISPLAY: W SH00 10 0015 0065

(product not included)

5 demos – 90 possibilities





7 out of 10 customers will invest in sun protection,
if it is offered.



specifications are subject to change without notice, no liability will be assumed for misprints


www.silhouette.com

GLAZING INSTRUCTIONS / SIGHT CORRECTION

Rimless





Mod.	BC sunlens		χ	
8142	8,0	58 x 48 mm	16	21°
8667	8,0	62 x 51 mm	16	21°
8686	8,0	61 x 43 mm	17	23°

[illegible]


Use the drilling coordinates
in blue figures for B8 lenses

Nylor



Mod.	BC sunlens		χ	
8685*	6,0	54 x 49 mm	18	16°



BC Rx sunlens	technical details for glazing
6,0	0,70 mm




Groove width: 0,70 mm /
Groove depth: 0,50 mm

Fullrim (Inline Glazing)



Mod.	BC sunlens		χ	
8153*	6,0	57 x 43 mm	17	18°



BC Rx sunlens	technical details for glazing
6,0	0,70 mm





Groove width: 0,70 mm /
Groove depth: 0,50 mm

Explorer Line (Glass in Glass)



Mod.	BC sunlens		χ	
8690*	6,0	47 x 39 mm	22.6	14°
8155*	6,0	49 x 43 mm	28.95	16°






















BC Rx sunlens	technical details for glazing
6,0	
6,0	



Groove width: 0,70 mm /
Groove depth: 0,50 mm

*Set the groove behind the pol foil

SUN PROTECTION

			Color name	UV A/B/C-Filter up to 400nm	Gradient-Mirror	Flash-Mirror	Full-Mirror	Color-Gradient
Comfort Colors			grey	●				
			brown	●				
			cobalt blue	●				
			grey	●				
			brown	●				
			green	●				
			cobalt blue	●				
			warm green	●				
Style Colors			grey gradient	●	●			
			earth gradient	●	●			
			turquoise gradient	●	●			
			glossy purple	●		●		
			glossy caramel	●				
			rainbow mirror	●			●	
			classic grey gradient	●				●
			classic brown gradient	●				●
			nude rosé	●				
			mint rosé	●				
			orange blue	●				
			grey blue	●				

Lenses B9				
Filter Category EN1836	Light Filter Absorption (%)	Bluelight Filter (%)	Anti-reflective Coating on Backside	Water-& Dirt-Repellant coating
3	86,2	87,2	-	●
-	-	-	-	-
-	-	-	-	-
3	89,3	90,1	-	●
3	88,4	93,7	-	●
-	-	-	-	-
3	87,1	79,1	-	●
-	-	-	-	-

Lenses B8				
Filter Category EN1836	Light Filter Absorption (%)	Bluelight Filter (%)	Anti-reflective Coating on Backside	Water-& Dirt-Repellant coating
3	87,6	88,5	●	●
3	87,6	93,0	●	●
3	87,6	81,0	●	●
3	87,6	88,5	●	●
3	87,6	93,0	●	●
3	87,6	91,0	●	●
3	87,6	79,5	●	●
-	-	-	-	-

Lenses B6				
Filter Category EN1836	Light Filter Absorption (%)	Bluelight Filter (%)	Anti-reflective Coating on Backside	Water-& Dirt-Repellant coating
-	-	-	-	-
-	-	-	-	-
3	87,6	81,0	●	●
3	87,6	88,5	●	●
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
2	76,4	85,0	●	●

-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

3	88,7	88,5	●	●
3	88,7	93,0	●	●
-	-	-	-	-
3	87,0	88,0	●	●
-	-	-	-	-
3	89,9	87,0	●	●
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

-	-	-	-	-
-	-	-	-	-
2	70,1	66,0	●	●
3	87,2	88,5	●	●
2	70,0	77,0	-	●
3	89,9	87,0	●	●
3	86,9	85,9	-	●
2	73,9	80,7	-	●
3	89,4	93,7	●	●
1	46,0	59,2	●	●
2	70,1	87,5	●	●
2	70,1	77,5	●	●

Silhouette[®]
ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 4075





URBAN SUN

OPTICAL READY
± RX

SPARE PARTS

Boxing System



$n \geq 1.6$
(+ PC, Trivex)

Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection

B 4075
BM 596

GK 224

SOG 39+142

cardboard box FK 107-3
case SHE 195-3
microfibre bag SHS 32
certificate ZE 328

for optical glazing

OPTICAL READY



SOG 146/541 clear lens
rubber ring MH 3
glazing instructions VH 78

specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY



Col. / 75 1140
GREY MIRROR GRADIENT
SILHOUETTE LIGHT MANAGEMENT®
front: crystal matte
temples: black matte
temple ends: black
temple tips: silver matte



OPTICAL READY



Col. / 75 6220
BROWN
SILHOUETTE LIGHT MANAGEMENT®
front: amber matte
temples: gold silky matte
temple ends: dark brown
temple tips: gold matte



OPTICAL READY




Col. / 75 6660
GREY
SILHOUETTE LIGHT MANAGEMENT®
front: grey blue matte
temples: ruthenium silky matte
temple ends: grey
temple tips: silver matte



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.5 mm
Groove-width:	0.7 mm
Basis curve frame:	5B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!
Note: mounting from the front could crack the lens

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 4077



OPTICAL READY




TITAN MINIMAL ART FUTURA
LIMITED EDITION




Col. / 75 4010
TRICOLOR LAVENDER

outer lenses: lavender matte
metal parts: rhodium shiny
temple ends: dark lavender




Col. / 75 6030
CLASSIC BROWN GRADIENT

outer lenses: brown shiny
metal parts: rose gold silky matte
temple ends: brown



Col. / 75 8530
BRASS-MINT MIRROR GRADIENT

outer lenses: champagne mirror shiny
metal parts: gold shiny
temple ends: dark olive



Col. / 75 9060
BLUE-MIRROR GRADIENT
SILHOUETTE LIGHT MANAGEMENT®


outer lenses: dark grey matte
metal parts: ruthenium silky matte
temple ends: black



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.6 mm
Groove-width:	0.7 mm
Basis curve frame:	5B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm




Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame do not heat under any circumstances!

Insert lens from behind!


Note: mounting from the front could crack the lens

Boxing System



Polyamide-front with temples made of
high tech titanium with parts of SPX®+
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection

SPARE PARTS



for optical glazing



SOG 146/541 clear lens

specifications are subject to change without notice, no liability will be assumed for misprints

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2018/19
Mod. 8142



ADVENTURER

Col. / 20-6251


MINT-ROSÉ GRADIENT

metal parts: rose gold silky matte

decoration: flash gold shiny with
line print transparent

temple ends: red brown transparent matte

temple tips: rose gold shiny



Col. / 40-6236


CLASSIC BROWN GRADIENT

metal parts: taupe silky matte

decoration: titanium shiny with
line print vanilla

temple ends: brown transparent

temple tips: titanium shiny



Col. / 50-6200


POL GREY

metal parts: black shiny

decoration: black shiny

temple ends: black shiny

temple tips: chrome shiny



Col. / 60-6235

CLASSIC GREY GRADIENT

metal parts: ruthenium silky matte

decoration: black matte with line print
transparent shiny

temple ends: black

temple tips: black shiny



Col. / 60-6258


TEAL-ROSÉ GRADIENT

metal parts: ruthenium silky matte

decoration: silver shiny with
line print dark rosé


temple ends: blackberry

temple tips: silver shiny




SPARE PARTS

Boxing System



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 8
100 % UV A-, B-, C-protection



specifications are subject to change without notice, no liability will be assumed for misprints



Silhouette®


ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2018/19
Mod. 8156




TITAN MINIMAL ART. THE ICON.


Col. / 20-6236
CLASSIC BROWN GRADIENT
metal parts: gold shiny
temple ends: brown
temple tips: gold shiny





Col. / 40-6251
MINT-ROSE GRADIENT
metal parts: mint silky matte
temple ends: khaki brown with mint
temple tips: gold matte




Col. / 60-6235
CLASSIC GREY GRADIENT
metal parts: ruthenium shiny
temple ends: black with grey
temple tips: black shiny



SPARE PARTS



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection



specifications are subject to change without notice, no liability will be assumed for misprints



Silhouette®



ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8158




TITAN MINIMAL ART. THE ICON.

SPARE PARTS



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection



for optical glazing




SOG 146/541 clear lens

specifications are subject to change without notice, no liability will be assumed for misprints



Col. / 75 3630
POL GREY
SILHOUETTE LIGHT MANAGEMENT®
metal parts: rose gold shiny
temple ends: black with salmon
temple tips: rose gold shiny



Col. / 75 6560
CLASSIC GREY GRADIENT
metal parts: ruthenium shiny
temple ends: black with grey
temple tips: black shiny



Col. / 75 8540
CLASSIC BROWN GRADIENT
metal parts: taupe silky matte
temple ends: dark brown with brown
temple tips: titanium matte





Silhouette[®]

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8161





INFINITY COLLECTION



OPTICAL READY



SPARE PARTS



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection



cardboard box FK 107-3
case SHE 181-3
microfibre bag SHS 32
certificate ZE 328-1

Silhouette pliers
mounting box P0036:



for optical glazing



specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY

±

RX

1:1

100%

100%

Col. / 75 3530

CLASSIC BROWN GRADIENT

metal parts:

outer lenses:

decoration:

temple ends:

temple tips:

rose gold shiny

dark brown

red brown shiny

dark brown

red brown matte



OPTICAL READY

±

RX

1:1

100%

100%

Col. / 75 7000

CLASSIC GREY GRADIENT

metal parts:

outer lenses:

decoration:

temple ends:

temple tips:

rhodium silky matte

silver mirror

black shiny

black


black shiny



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.5 mm
Groove-width:	0.7 mm
Basis curve frame:	5B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!
Note: mounting from the front could crack the lens

Silhouette®



ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8162




TITAN MINIMAL ART. ATWIRE.

SPARE PARTS



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection



for optical glazing



SOG 146/541 clear lens

specifications are subject to change without notice, no liability will be assumed for misprints

Col. / 75 3530
 GLOSSY ROSE MIRROR
 SILHOUETTE LIGHT MANAGEMENT®
 metal parts: rose gold shiny
 metal lens decoration: rose gold shiny
 temple ends: black with grey
 temple tips: rose gold shiny



Col. / 75 7630
 GREEN
 SILHOUETTE LIGHT MANAGEMENT®
 metal parts: gold shiny
 metal lens decoration: gold shiny
 temple ends: dark brown with brown
 temple tips: gold shiny



Col. / 75 7730
 POL GREY
 SILHOUETTE LIGHT MANAGEMENT®
 metal parts: gold silky matte
 metal lens decoration: gold silky
 matte
 temple ends: black
 temple tips: gold matte



Col. / 75 8540
 CLASSIC BROWN GRADIENT
 metal parts: taupe silky matte
 metal lens decoration: taupe silky matte
 temple ends: dark brown with brown
 temple tips: titanium matte





Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.




SUN 2020
Mod. 8163




TITAN MINIMAL ART. ATWIRE.

SPARE PARTS

Boxing System



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection



cardboard box FK 118-3
case SHE 181-3
microfibre bag SHS 32
certificate ZE 328-1



for optical glazing



SOG 146/541 clear lens

specifications are subject to change without notice, no liability will be assumed for misprints



POL

ESSENTIAL
LIGHT
MANAGEMENT

1:1

SILHOUETTE
LIGHT
MANAGEMENT
POL

Col. / 75 7530

POL GREY

SILHOUETTE LIGHT MANAGEMENT®

metal parts: gold silky matte

metal lens decoration: gold silky
matte

temple ends: black


temple tips: gold matte



Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.



SUN 2020
Mod. 8164



ACCENT SHADES



SPARE PARTS

Boxing System



n ≥ 1.6
(+ PC, Trivex)


Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection



cardboard box FK 118-3
case SHE 181-3
microfibre bag SHS 32
certificate ZE 328-1



Silhouette pliers
mounting box P0036:





for optical glazing



SOG 146/541 clear lens
BLS 58
glazing instructions VH 85



specifications are subject to change without notice, no liability will be assumed for misprints



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.7 mm
Groove-width:	0.8 mm
Basis curve frame:	5B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!
Note: mounting from the front could crack the lens

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8165




ACCENT SHADES

OPTICAL READY



SPARE PARTS

Boxing System



56 x 50 (24.07 cm²)


65


17


140


10°

 $n \geq 1.6$
(+ PC, Trivex)

Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection

B 8165
BM 580-1
GK 224

MST 943
AC 495
SOG 39, 142, 161
BA 869-6
incl. BLS
89+BLS 56

cardboard box FK 107-3
case SHE 239
microfibre bag SHS 32
certificate ZE 328-1

BLS 85  SP 96  BLS 48

for optical glazing

Silhouette pliers
mounting box P0036:



OPTICAL READY



SOG 146/541 clear lens
BLS 58
glazing instructions VH 85

specifications are subject to change without notice, no liability will be assumed for misprints

www.silhouette.com

OPTICAL READY

±

RX

POL

100% POLARIZED LENS

1:1

100% UV PROTECTION

Col. / 75 6500

POL GREY

SILHOUETTE LIGHT MANAGEMENT®

accent ring: milky grey light

metal parts: rhodium silky matte

hinge disc: grey

temple ends: black

temple tips: silver matte



OPTICAL READY

±

RX

1:1

100% UV PROTECTION

Col. / 75 8640

CLASSIC BROWN GRADIENT

accent ring: milky ivory

metal parts: anodised brown silky matte

hinge disc: dark brown

temple ends: dark brown


temple tips: titanium shiny



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.7 mm
Groove-width:	0.8 mm
Basis curve frame:	5B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!
Note: mounting from the front could crack the lens

Silhouette[®]


ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8166





ACCENT SHADES


OPTICAL READY



SPARE PARTS




Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection




cardboard box FK 107-3
case SHE 239
microfibre bag SHS 32
certificate ZE 328-1




Silhouette pliers
mounting box P0036:




for optical glazing

OPTICAL READY
 SOG 146/541 clear lens
BLS 58
glazing instructions VH 85

specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY




Col. / 75 4140
 GLOSSY ROSÉ MIRROR
 SILHOUETTE LIGHT MANAGEMENT®
 accent ring: purple
 metal parts: purple shiny
 hinge disc: dark violet
 temple ends: dark violet
 temple tips: silver shiny



OPTICAL READY





Col. / 75 6500
 POL GREY
 SILHOUETTE LIGHT MANAGEMENT®
 accent ring: milky grey
 metal parts: rhodium silky matte
 hinge disc: dark grey
 temple ends: black
 temple tips: silver matte



OPTICAL READY



Col. / 75 8540
 CLASSIC BROWN GRADIENT
 accent ring: milky ivory
 metal parts: anodised brown silky matte
 hinge disc: dark brown
 temple ends: dark brown
 temple tips: titanium shiny



OPTICAL READY





Col. / 75 9140
 GLOSSY GOLD MIRROR
 SILHOUETTE LIGHT MANAGEMENT®
 accent ring: black
 metal parts: black silky matte
 hinge disc: black
 temple ends: black
 temple tips: gold matte



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.7 mm
Groove-width:	0.8 mm
Basis curve frame:	5B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!
Note: mounting from the front could crack the lens

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8171






INFINITY COLLECTION

OPTICAL READY




SPARE PARTS

Boxing System



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection




cardboard box FK 107-3
case SHE 182-3
microfibre bag SHS 32
certificate ZE 328-1

Silhouette pliers
mounting box P00036






for optical glazing





specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY



Col. / 75 1030
POL GREEN
SILHOUETTE LIGHT MANAGEMENT®

metal parts: gold silky matte
outer lenses: crystal
decoration: black matte
temple ends: black matte



OPTICAL READY



Col. / 75 3540
CLASSIC GREY GRADIENT

metal parts: purple silky matte
outer lenses: grey-purple mirror
decoration: black matte
temple ends: black matte



OPTICAL READY



Col. / 75 7540
POL GREY
SILHOUETTE LIGHT MANAGEMENT®


metal parts: black matte
outer lenses: brown gold mirror with print black matte
decoration: black matte
temple ends: black matte



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.5 mm
Groove-width:	0.7 mm
Basis curve frame:	5B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!
Note: mounting from the front could crack the lens

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8173



TITAN ACCENT SHADES






Col. / 75 3630

POL GREY

SILHOUETTE LIGHT MANAGEMENT®

metal eye rim: rose gold brushed
bridge and temples: rose silky matte
temple ends: black matte
decoration ring: rose gold matte
temple tips: black matte



Col. / 75 7530

CLASSIC BROWN GRADIENT


metal eye rim: gold brushed
bridge and temples: gold shiny
temple ends: dark brown matte
decoration ring: gold shiny
temple tips: dark brown matte



GROOVED GLAZING

Milling of optical lenses with nylon-groove


Groove-depth:	0.5 mm
Groove-width:	0.6 mm
Basis curve frame:	6B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

Insert lens from behind!
Note: mounting from the front could crack the lens

Boxing System



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection

SPARE PARTS

B 8173
BM 527
(incl. SP 96 GL, BLS 48+85)

GK 282

MST 943
(incl. SP 96 GL,
BLS 56+85)

TITAN ACCENT RING S729
SOG 142, 161, 163, 168
(incl. BLS 56+48)

BLS 56

cardboard box FK 118-3
case SHE 181-3
microfibre bag SHS 32
certificate ZE 344

BLS 48 ✕
SP 96 GL

BLS 58

Silhouette pliers
mounting box P0036:

for optical glazing

SOG 146/541 clear lens
BLS 58 L 20 rosa

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8174



TITAN ACCENT SHADES



Col. / 75 3530
GLOSSY ROSÉ MIRROR
SILHOUETTE LIGHT MANAGEMENT®

metal eye rim: rose gold brushed
bridge and temples: rose gold shiny
temple ends: black matte
decoration ring: rose gold shiny
temple tips: black matte

1:1




Col. / 75 7000
POL GREY
SILHOUETTE LIGHT MANAGEMENT®

metal eye rim: rhodium brushed
bridge and temples: rhodium shiny
temple ends: black matte
decoration ring: silver matte
temple tips: black matte

POL

1:1



Col. / 75 7530
CLASSIC BROWN GRADIENT

metal eye rim: gold brushed
bridge and temples: gold shiny
temple ends: dark brown shiny
decoration ring: gold shiny
temple tips: dark brown matte



1:1



GROOVED GLAZING

Milling of optical lenses with nylon-groove


Groove-depth:	0.5 mm
Groove-width:	0.6 mm
Basis curve frame:	6B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Insert lens from behind!
Note: mounting from the front could crack the lens

Transfer shape only via formers or OMA-files!

Boxing System



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection

SPARE PARTS




cardboard box FK 118-3
case SHE 181-3
microfibre bag SHS 32
certificate ZE 344

BLS 48 X SP 96 GL



BLS 58

Silhouette pliers
mounting box P0036:



for optical glazing
SOG 146/541 clear lens 6 base
BLS 58 L 20 rosa

Silhouette®


ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8175




TITAN MINIMAL ART. THE ICON.

SPARE PARTS




61 x 50 (24,20 cm²)


Boxing System




68




17



145



11



$n \geq 1.6$
(+ PC, Trivex)


Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection

B 8175
BM 527-3



GK 227


MST 943




SOG 142

BLS 56

BLS 85
SP 96



BLS 48





cardboard box FK 118-3
case SHE 181-3
microfibre bag SHS 32
certificate ZE 328-1

for optical glazing



SOG 146/541 clear lens

specifications are subject to change without notice, no liability will be assumed for misprints





Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8176






ADVENTURER AVIATOR

OPTICAL READY




SPARE PARTS

Boxing System




Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 8
100 % UV A-, B-, C-protection



cardboard box FK 118-3
case SHE 182-3
microfibre bag SHS 32
certificate ZE 328-1


Silhouette pliers
mounting box P0036:



for single hole:



for optical glazing




specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY



Col. / 75 3530
GLOSSY ROSÉ MIRROR
SILHOUETTE LIGHT MANAGEMENT®

metal parts: rose gold silky matte
decoration: flash gold shiny with
line print transparent
temple ends: red brown transparent matte
temple tips: rose gold shiny



OPTICAL READY



Col. / 75 6560
CLASSIC GREY GRADIENT

metal parts: ruthenium silky matte
decoration: black matte with line print
transparent shiny
temple ends: black
temple tips: black shiny



OPTICAL READY



Col. / 75 8540

CLASSIC BROWN GRADIENT

metal parts: taupe silky matte

decoration: titanium shiny with

line print vanilla

temple ends: brown transparent

temple tips: titanium shiny



OPTICAL READY



Col. / 75 9040

GLOSSY GOLD MIRROR
SILHOUETTE LIGHT MANAGEMENT®


metal parts: black matte

decoration: gold shiny with

line print black matte

temple ends: black

temple tips: gold shiny



OPTICAL READY



Col. / 75 9140

POL GREY
SILHOUETTE LIGHT MANAGEMENT®

metal parts: black shiny

decoration: black shiny

temple ends: black shiny

temple tips: chrome shiny



Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8177



ACCENT SHADES

OPTICAL READY
± RX

OPTICAL READY



Col. / 75 4000

GLOSSY ROSÉ MIRROR

SILHOUETTE LIGHT MANAGEMENT®

accent ring: mauve transparent matte
metal parts: mauve silky matte
decoration: neo mint matte
temple ends: lavender matte
temple tips: silver shiny



OPTICAL READY



Col. / 75 6040

CLASSIC BROWN GRADIENT

accent ring: brown matte
metal parts: taupe silky matte
decoration: brown matte
temple ends: dark brown matte
temple tips: titanium silky matte



OPTICAL READY



Col. / 75 9030

POL GREY

SILHOUETTE LIGHT MANAGEMENT®


accent ring: black matte
metal parts: rose gold shiny
decoration: black matte
temple ends: black matte
temple tips: rose gold shiny



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.7 mm
Groove-width:	0.8 mm
Basis curve frame:	6B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm




Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!

Note: mounting from the front could crack the lens

Boxing System




Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection



SPARE PARTS



cardboard box FK 118-3
case SHE 181-3
cleaning cloth SHS 32
certificate ZE 344



universal mounting-box



for optical glazing

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2018/19
Mod. 8667




ADVENTURER

Col. / 40-6236

CLASSIC BROWN GRADIENT


metal parts: taupe silky matte
decoration: titanium shiny with
line print vanilla
temple ends: brown transparent
temple tips: titanium shiny



Col. / 50-6200

POL GREY

metal parts: black shiny
decoration: black shiny
temple ends: black shiny
temple tips: chrome shiny



Col. / 60-6235


CLASSIC GREY GRADIENT

metal parts: ruthenium silky matte
decoration: black matte with line print
transparent shiny
temple ends: black
temple tips: black shiny



SPARE PARTS

Boxing System



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 8
100 % UV A-, B-, C-protection



specifications are subject to change without notice, no liability will be assumed for misprints



Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8694




TITAN BREEZE

OPTICAL READY



SPARE PARTS


Boxing System



52 x 47 (19.34 cm²)


55


19


140


9°

 $n \geq 1.6$
(+ PC, Trivex)

Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection

B 8694
BM 613

GK 278: col. 3540, 5540
GK 278-1: col. 6040, 9040

SOG 142



BLS 85 
SP 96

cardboard box FK 107-3
case SHE 195-3
microfibre bag SHS 32
certificate ZE 328-1

for optical glazing



SOG 146/541 clear lens
rubber ring MH 3
glazing instructions VH 81 + glazing tool VGLH 3

specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY

±

RX

Col. / 75-6040

CLASSIC BROWN GRADIENT

metal parts: caramel silky matte

decoration: titanium shiny

temple ends: dark brown

temple tips: titanium shiny

1:1

100% UV PROTECTION

100% VISIBLE LIGHT TRANSMITTANCE



OPTICAL READY

±

RX

Col. / 75 9040

CLASSIC GREY GRADIENT

metal parts: black matte

decoration: black shiny

temple ends: black

temple tips: black shiny

1:1

100% UV PROTECTION


100% VISIBLE LIGHT TRANSMITTANCE



IN-LINE GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.5 mm
Groove-width:	1.0 mm
Basis curve frame:	5B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!
Note: mounting from the front could crack the lens

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2018/19
Mod. 8695



INFINITY COLLECTION

Col. / 75-5040

TEAL-ROSÉ GRADIENT

metal parts: mint silky matte
outer lenses: purple mirror
decoration: violet shiny
temple ends: blue green matte
temple tips: violet matte



Col. / 75-6560

CLASSIC GREY GRADIENT


metal parts: ruthenium shiny
outer lenses: grey
decoration: black matte
temple ends: dark grey
temple tips: black matte



IN-LINE GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.5 mm
Groove-width:	0.7 mm
Basis curve frame:	5B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!
Note: mounting from the front could crack the lens

SPARE PARTS

Boxing System



51



24



145



13



$n \geq 1,6$
(+ PC, Trivex)

Metal frame made of High-Tech Titanium

Lenses: polycarbonate

Curving: base 6

100 % UV A-, B-, C-protection


B 8695
BM 613

GK 278: col. 5040
GK 278-1: col. 6560, 9040, 9140

MST 861-S

AC 467 incl. BLS 48
SOG 39+142

BA 897 incl.
BLS 48



SHS 32



SHE 182/3

BLS 85
SP 107



BLS 48



for optical glazing

specifications are subject to change without notice, no liability will be assumed for misprints

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8697






TITAN MINIMAL ART. THE ICON.

OPTICAL READY





SPARE PARTS

Boxing System



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 8
100 % UV A-, B-, C-protection



cardboard box FK 118-3
case SHE 181-3
microfibre bag SHS 32
certificate ZE 328-1



for optical glazing



SOG 68/420 clear lens

specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY



Col. / 75 6140

BROWN

SILHOUETTE LIGHT MANAGEMENT®

metal parts: anodised brown shiny

temple ends: brown with khaki

temple tips: titanium shiny



OPTICAL READY



Col. / 75-6660

CLASSIC GREY GRADIENT

metal parts: ruthenium silky matte

temple ends: black

temple tips: silver shiny



OPTICAL READY



Col. / 75 7730

POL GREEN

SILHOUETTE LIGHT MANAGEMENT®

metal parts: gold shiny

temple ends: black

temple tips: gold shiny



OPTICAL READY



Col. / 75 9140

POL GREY

SILHOUETTE LIGHT MANAGEMENT®

metal parts: black silky matte

temple ends: black

temple tips: silver shiny





Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8698






TITAN MINIMAL ART. THE ICON.

OPTICAL READY




SPARE PARTS

Boxing System



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 8
100 % UV A-, B-, C-protection



cardboard box FK 118-3
case SHE 181-3
microfibre bag SHS 32
certificate ZE 328-1



for optical glazing



SOG 68/420 clear lens

specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY



1:1



Col. / 75 6240


BROWN

SILHOUETTE LIGHT MANAGEMENT®

metal parts: anodised brown shiny

temple ends: brown with khaki

temple tips: titanium shiny



OPTICAL READY



1:1



Col. / 75 6560

CLASSIC GREY GRADIENT

metal parts: ruthenium silky matte

temple ends: black

temple tips: silver shiny



OPTICAL READY



1:1



Col. / 75 7730


POL GREEN

SILHOUETTE LIGHT MANAGEMENT®

metal parts: gold shiny

temple ends: black

temple tips: gold shiny



OPTICAL READY



1:1



Col. / 75 9140

POL GREY

SILHOUETTE LIGHT MANAGEMENT®

metal parts: black silky matte

temple ends: black

temple tips: silver shiny





Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8700




INFINITY COLLECTION

OPTICAL READY



SPARE PARTS

Boxing System



50 x 44 (18.25 cm²)


55


15


135


2x13°

 $n \geq 1.6$
(+ PC, Trivex)

Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection

B 8700
BM 607
GK 270

MST 943
AC 497 incl. BLS 48
SOG 132, 133, 142
BA 890-2
incl. BLS 48

cardboard box FK 107-3
case SHE 182-3
microfibre bag SHS 32
certificate ZE 328-1


BLS 85  SP 107

BLS 48 

Silhouette pliers
mounting box P00036



for optical glazing

OPTICAL READY
 SOG 146/541 clear lens

specifications are subject to change without notice, no liability will be assumed for misprints

www.silhouette.com

OPTICAL READY



Col. / 75 4610
GREY MIRROR GRADIENT
SILHOUETTE LIGHT MANAGEMENT®

metal parts: silver silky matte
outer lenses: blue with print
transparent matte
decoration: dark blue matte
temple ends: dark blue matte



OPTICAL READY



Col. / 75 6030
CLASSIC BROWN GRADIENT

metal parts: gold silky matte
outer lenses: dark brown with print
transparent matte
decoration: chocolate brown matte
temple ends: brown transparent matte



OPTICAL READY



Col. / 75 6560
POL GREY
SILHOUETTE LIGHT MANAGEMENT®
metal parts: ruthenium silky matte
outer lenses: dark grey with print
black matte
decoration: black matte
temple ends: black matte



OPTICAL READY




Col. / 75 7010
GREEN
SILHOUETTE LIGHT MANAGEMENT®
metal parts: titanium silky matte
outer lenses: grey silver mirror with
print black matte
decoration: black matte
temple ends: black matte



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.5 mm
Groove-width:	0.7 mm
Basis curve frame:	5B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!
Note: mounting from the front could crack the lens

Silhouette[®]

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8701





INFINITY COLLECTION

OPTICAL READY




SPARE PARTS

Boxing System



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection



cardboard box FK 107-3
case SHE 182-3
microfibre bag SHS 32
certificate ZE 328-1

Silhouette pliers
mounting box P00036



for optical glazing



SOG 146/541 clear lens

specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY



Col. / 75 6560
 POL GREEN
 SILHOUETTE LIGHT MANAGEMENT®
metal parts: ruthenium silky matte
outer lenses: grey with print
 transparent matte
decoration: black matte
temple ends: black matte



OPTICAL READY



Col. / 75 7010
 CLASSIC GREY GRADIENT
metal parts: silver silky matte
outer lenses: grey silver mirror with
 print black matte
decoration: black matte
temple ends: black matte



OPTICAL READY




Col. / 75 7540
 POL GREY
 SILHOUETTE LIGHT MANAGEMENT®
metal parts: black matte
outer lenses: brown gold mirror with
 striped print black matte
decoration: black matte
temple ends: black matte



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.5 mm
Groove-width:	0.7 mm
Basis curve frame:	5B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!
Note: mounting from the front could crack the lens

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8702




ACCENT SHADES

OPTICAL READY




SPARE PARTS

Boxing System




Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection



cardboard box FK 107-3
case SHE 239
microfibre bag SHS 32
certificate ZE 328-1

Silhouette pliers
mounting box P0036:



for optical glazing

OPTICAL READY
SOG 146/541 clear lens
BLS 58
glazing instructions VH 85

specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY
± RX



Col. / 75 6560
BROWN
SILHOUETTE LIGHT MANAGEMENT®
accent ring: milky grey
metal parts: ruthenium silky matte
decoration ring: milky grey
hinge disc: grey
temple ends: brown
temple tips: titanium matte



OPTICAL READY
± RX



Col. / 75 8540
CLASSIC BROWN GRADIENT
accent ring: milky ivory
metal parts: gold silky matte
hinge disc: brown
temple ends: dark brown
temple tips: gold shiny



OPTICAL READY
± RX




Col. / 75 9040
POL GREY
SILHOUETTE LIGHT MANAGEMENT®
accent ring: black
metal parts: black silky matte
hinge disc: black
temple ends: black
temple tips: black shiny



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.7 mm
Groove-width:	0.8 mm
Basis curve frame:	5B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!
Note: mounting from the front could crack the lens

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8704






ACCENT SHADES

OPTICAL READY




SPARE PARTS

Boxing System




Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection



cardboard box FK 107-3
case SHE 182-3
microfibre bag SHS 32
certificate ZE 328-1

Silhouette pliers
mounting box P0036:



for optical glazing



SOG 146/541 clear lens
BLS 58

specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY



Col. / 75 6040
CLASSIC GREY GRADIENT
accent ring: brown
metal parts: gold shiny
hinge disc: black
temple ends: black
temple tips: gold matte



OPTICAL READY



Col. / 75 6560
GREEN
SILHOUETTE LIGHT MANAGEMENT®
accent ring: milky grey
metal parts: ruthenium silky matte
hinge disc: grey
temple ends: black
temple tips: titanium matte



OPTICAL READY



Col. / 75 9040
POL BROWN
SILHOUETTE LIGHT MANAGEMENT®
accent ring: black
metal parts: ruthenium shiny
hinge disc: black
temple ends: black
temple tips: titanium shiny



OPTICAL READY




Col. / 75 9140
POL GREY
SILHOUETTE LIGHT MANAGEMENT®
accent ring: black
metal parts: black shiny
hinge disc: black
temple ends: black
temple tips: black shiny



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.7 mm
Groove-width:	0.8 mm
Basis curve frame:	5B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!
Note: mounting from the front could crack the lens

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8705




INFINITY COLLECTION

OPTICAL READY



SPARE PARTS

Boxing System




Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection




cardboard box FK 107-3
case SHE 182-3
microfibre bag SHS 32
certificate ZE 328-1

Silhouette pliers
mounting box P00036



for optical glazing



specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY
± RX
1:1
POL
SILHOUETTE LIGHT MANAGEMENT®

Col. / 75 1030
GREEN
SILHOUETTE LIGHT MANAGEMENT®
metal parts: gold shiny
outer lenses: crystal
decoration: green shiny
temple ends: black



OPTICAL READY
± RX
1:1
POL
SILHOUETTE LIGHT MANAGEMENT®

Col. / 75 6040
CLASSIC BROWN GRADIENT
metal parts: bronze shiny
outer lenses: dark brown
decoration: brown shiny
temple ends: dark brown with black



OPTICAL READY
± RX
POL
1:1
POL
SILHOUETTE LIGHT MANAGEMENT®


Col. / 75 7540
POL GREY
SILHOUETTE LIGHT MANAGEMENT®
metal parts: black matte
outer lenses: gold mirror
decoration: black matte
temple ends: black



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.5 mm
Groove-width:	0.7 mm
Basis curve frame:	5B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!
Note: mounting from the front could crack the lens

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8708




SUN C-2

OPTICAL READY



SPARE PARTS


Boxing System



59 x 48 (24.62 cm²)


66


17


140


16

 $n \geq 1.6$
(+ PC, Trivex)

Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection

B 8708
BC 662
GK 266

MST 946
MST 943 - 1
BLS 55
BLS 48
BA 857/8
BLS 56
BLS 85
SOG 133 + 146
SP 107

cardboard box FK 118-3
case SHE 182-3
microfibre bag SHS 32
certificate ZE 328-1

Silhouette pliers
mounting box P0036:



for single hole:



for optical glazing



SOG 68/420 clear lens
BLS 44 (for MST+BLS)
BLS 58 (for upper bridge)

specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY


POL


1:1


Col. / 75 3520
POL GREY
SILHOUETTE LIGHT MANAGEMENT®
bridge and side parts: rose gold shiny
temples: black matte
metal cylinder: rose gold shiny
cylindric hinge: black
temple ends: black shiny
temple tips: rose gold shiny



OPTICAL READY


POL


1:1


Col. / 75 6560
POL GREEN
SILHOUETTE LIGHT MANAGEMENT®
bridge and side parts: ruthenium shiny
temples: black matte
metal cylinder: ruthenium shiny
cylindric hinge: black
temple ends: black matte
temple tips: silver shiny



OPTICAL READY


1:1


Col. / 75 7520
CLASSIC BROWN GRADIENT
bridge and side parts: gold shiny
temples: chocolate brown matte
metal cylinder: gold shiny
cylindric hinge: black
temple ends: chocolate brown shiny
temple tips: gold shiny



OPTICAL READY


1:1


Col. / 75 9040
CLASSIC GREY GRADIENT
bridge and side parts: black matte
temples: black matte
metal cylinder: black shiny
cylindric hinge: black
temple ends: black matte
temple tips: black shiny





Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8709




SUN C-2

OPTICAL READY



SPARE PARTS

Boxing System



59 x 50 (23,78 cm²)



64



17



140



16



$n \geq 1.6$
(+ PC, Trivex)

Metal frame made of High-Tech Titanium

Lenses: polycarbonate

Curving: base 6

100 % UV A-, B-, C-protection

B 8709
BC 662

GK 266

MST 943 - 1

BLS 48

BA 857/8

BLS 56


BLS 85

SP 107

SOG 133 + 146

cardboard box FK 149 + 149-1
case SHE 181-3
microfibre bag SHS 224
certificate ZE 310, 311, 312, 328-1

Silhouette pliers
mounting box P0036:



for optical glazing



SOG 68/420 clear lens
BLS 58

specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY
± RX

POL

1:1

Col. / 75 3520
POL GREY
SILHOUETTE LIGHT MANAGEMENT®
bridge and side parts: rose gold shiny
temples: black matte
metal cylinder: rose gold shiny
cylindric hinge: black
temple ends: black shiny
temple tips: rose gold shiny



OPTICAL READY
± RX

POL

1:1

Col. / 75 6560
POL GREEN
SILHOUETTE LIGHT MANAGEMENT®
bridge and side parts: ruthenium shiny
temples: black matte
metal cylinder: ruthenium shiny
cylindric hinge: black
temple ends: black matte
temple tips: silver shiny



OPTICAL READY
± RX

1:1

Col. / 75 7520
CLASSIC BROWN GRADIENT
bridge and side parts: gold shiny
temples: chocolate brown matte
metal cylinder: gold shiny
cylindric hinge: black
temple ends: chocolate brown shiny
temple tips: gold shiny



OPTICAL READY
± RX

1:1

Col. / 75 9040
CLASSIC GREY GRADIENT
bridge and side parts: black matte
temples: black matte
metal cylinder: black shiny
cylindric hinge: black
temple ends: black matte
temple tips: black shiny





Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8716




TITAN BREEZE

OPTICAL READY
± RX

GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.5 mm
Groove-width:	1.0 mm
Basis curve frame:	6B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

Insert lens from behind!
Note: mounting from the front could crack the lens

OPTICAL READY



1:1



Col. / 75 6040

CLASSIC BROWN GRADIENT

front and metal parts: caramel silky matte
decoration: titanium shiny
temple ends: dark brown matte
temple tips: titanium shiny



OPTICAL READY



POL



1:1



Col. / 75 7530

POL GREY
SILHOUETTE LIGHT MANAGEMENT®

front and metal parts: gold shiny
decoration: black shiny
temple ends: black matte
temple tips: gold shiny



Boxing System



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection

SPARE PARTS

B 8716 (incl. BA, SOG, SP 96 GL, BLS 85)
BM 613
(incl. decoration + GK 278-1)



GK 278-1

SOG 142, 161, 163
(incl. BLS 56+48)




cardboard box FK 107-3
case SHE 182-3
microfibre bag SHS 32
certificate ZE 328-1

BLS 85 X
SP 96 GL



for optical glazing


OPTICAL READY SOG 146/541 clear lens



Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8718



TITAN ACCENT SHADES

OPTICAL READY
± RX

OPTICAL READY
± RX

POL

1:1

Col. / 75 7000
POL GREY
SILHOUETTE LIGHT MANAGEMENT®

metal eye rim: rhodium brushed
bridge and temples: rhodium shiny
temple ends: black matte
decoration ring: silver matte
temple tips: black matte



OPTICAL READY
± RX

1:1

Col. / 75 7530
CLASSIC BROWN GRADIENT


metal eye rim: gold brushed
bridge and temples: gold shiny
temple ends: dark brown matte
decoration ring: gold shiny
temple tips: dark brown matte



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.5 mm
Groove-width:	0.6 mm
Basis curve frame:	6B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

Insert lens from behind!

Note: mounting from the front could crack the lens

Boxing System



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection

SPARE PARTS



for optical glazing

OPTICAL READY
SOG 146/541 clear lens
BLS 58 L 20 rosa

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8719



ACCENT SHADES

OPTICAL READY
± RX

OPTICAL READY



Col. / 75 6040
CLASSIC GREY GRADIENT

accent ring: brown matte
metal parts: black silky matte
decoration: black matte
temple ends: black matte



OPTICAL READY



Col. / 75 9030
CLASSIC BROWN GRADIENT

accent ring: black matte
metal parts: gold silky matte
decoration: black matte
temple ends: black matte



OPTICAL READY



Col. / 75 9040
POL GREY
SILHOUETTE LIGHT MANAGEMENT®


accent ring: black matte
metal parts: black silky matte
decoration: black matte
temple ends: black matte



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.7 mm
Groove-width:	0.8 mm
Basis curve frame:	6B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm




Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!

Note: mounting from the front could crack the lens

Boxing System



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection

SPARE PARTS

B 8719
BM 640-1
(incl. decoration + GK 295)

GK 295


MST 954
(incl. SP 107 GL,
BLS 56+85)

AC 532
(incl. BLS 99)

SOG 142, 161, 168
(incl. BLS 56)


BA 878-2
BLS 56

cardboard box FK 107-3
case SHE 239
microfibre bag SHS 32
certificate ZE 328-1

BLS 85  BLS 58

SP 107 GL


Silhouette pliers
mounting box P0036:



for single hole: double plastic plier

for optical glazing

OPTICAL READY




SOG 146/541 clear lens
BLS 58 L 20 rosa

Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8720



ACCENT SHADES

OPTICAL READY
± RX

OPTICAL READY



Col. / 75 6040

CLASSIC GREY GRADIENT

accent ring: brown matte
metal parts: black silky matte
decoration: black matte
temple ends: black matte



OPTICAL READY



Col. / 75 9030

POL GREEN

SILHOUETTE LIGHT MANAGEMENT®

accent ring: black matte
metal parts: gold silky matte
decoration: black matte
temple ends: black matte



OPTICAL READY



Col. / 75 9130

POL BROWN

SILHOUETTE LIGHT MANAGEMENT®


accent ring: black matte
metal parts: gold silky matte
decoration: black matte
temple ends: black matte



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.7 mm
Groove-width:	0.8 mm
Basis curve frame:	6B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm




Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame
do not heat under any circumstances!

Insert lens from behind!


Note: mounting from the front could crack the lens

Boxing System



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection

SPARE PARTS



Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8721




ADVENTURER AVIATOR

OPTICAL READY



SPARE PARTS

Boxing System



62 x 51 (25.53 cm²)



70



16



135



21




n ≥ 1.6
(+ PC, Trivex)

Metal frame made of High-Tech Titanium

Lenses: polycarbonate


Curving: base 8

100 % UV A-, B-, C-protection



cardboard box FK 118-3
case SHE 182-3
microfibre bag SHS 32
certificate ZE 328-1

Silhouette pliers
mounting box P0036:



for single hole:



for optical glazing

OPTICAL READY



SOG 68/420 clear lens
BLS 44,58

specifications are subject to change without notice, no liability will be assumed for misprints


OPTICAL READY

Col. / 75 6560
CLASSIC GREY GRADIENT
metal parts: ruthenium silky matte
decoration: silver shiny with
line print black
temple ends: black
temple tips: silver shiny



OPTICAL READY

Col. / 75 6660
GLOSSY GOLD MIRROR
SILHOUETTE LIGHT MANAGEMENT®
metal parts: ruthenium shiny
decoration: black matte with line print
transparent shiny
temple ends: black
temple tips: gold shiny



OPTICAL READY

POL

Col. / 75 7530
POL GREEN
SILHOUETTE LIGHT MANAGEMENT®
metal parts: gold shiny
decoration: black shiny
temple ends: black shiny
temple tips: gold shiny



OPTICAL READY



Col. / 75 8540

CLASSIC BROWN GRADIENT

metal parts: taupe silky matte
decoration: titanium shiny with
line print vanilla

temple ends: brown
temple tips: titanium shiny



OPTICAL READY




Col. / 75 9040

GREY

SILHOUETTE LIGHT MANAGEMENT®

metal parts: black shiny
decoration: black shiny with
line print silver

temple ends: black
temple tips: chrome shiny



OPTICAL READY



Col. / 75 9140

POL GREY

SILHOUETTE LIGHT MANAGEMENT®

metal parts: black shiny
decoration: black shiny


temple ends: black shiny
temple tips: chrome shiny



Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8722




CARBON T1

OPTICAL READY



SPARE PARTS

Boxing System



n ≥ 1.6
(+ PC, Trivex)

Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 8
100 % UV A-, B-, C-protection

B 8722
BC 652



cardboard box FK 107-3
case SHE 182-3
microfibre bag SHS 32

BLS 85 X
SP 107



for optical glazing



SOG 68/420 clear lens

specifications are subject to change without notice, no liability will be assumed for misprints

OPTICAL READY



1:1



Col. / 75 6560

GREY MIRROR GRADIENT

SILHOUETTE LIGHT MANAGEMENT®

metal parts: black silky-matte

temples: black matte

line on temples: grey matte

carbon decoration: black-grey



OPTICAL READY



1:1



Col. / 75 7530

CLASSIC BROWN GRADIENT

metal parts: gold shiny

temples: dark brown matte

line on temples: transparent shiny

carbon decoration: gold



OPTICAL READY



1:1



Col. / 75 9040

POL GREY

SILHOUETTE LIGHT MANAGEMENT®

metal parts: black silky-matte

temples: black silky matte

line on temples: silver matte

carbon decoration: silver



OPTICAL READY



1:1



Col. / 75 9140

CLASSIC GREY GRADIENT

metal parts: ruthenium silky-matte

temples: black matte

line on temples: grey matte

carbon decoration: black-grey





Silhouette[®]

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.


SUN 2020
Mod. 8723



TITAN MINIMAL ART ULTRA THIN

SPARE PARTS

Boxing System



64 x 43 (23,66 cm²)



69



17



135



26



$n \geq 1.6$
(+ PC, Trivex)

Metal frame made of High-Tech Titanium

Lenses: polyamide

Curving: base 9

100 % UV A-, B-, C-protection

B 8723
BM 387

GK 256

MST 861-S

SOG 139+140

BLS 97

BLS 85
SP 96



cardboard box FK 118-3
case SHE 181-3
microfibre bag SHS 33
certificate ZE 328-1

specifications are subject to change without notice, no liability will be assumed for misprints

www.silhouette.com

K 8723 00 9300 0000



Col. / 75 7530


BROWN

SILHOUETTE LIGHT MANAGEMENT®

metal parts: brown anodised shiny

temple ends: brown with vanilla

temple tips: brown matte




Col. / 75 9040

POL GREY

metal parts: black shiny

temple ends: black with red

temple tips: black matte



Col. / 75 9140


GREY

SILHOUETTE LIGHT MANAGEMENT®

metal parts: black silky-matte

temple ends: black

temple tips: black shiny





Silhouette®

ICONIC EYEWEAR MADE IN AUSTRIA. SINCE 1964.

SUN 2020
Mod. 8724



ACCENT SHADES

OPTICAL READY
± RX

OPTICAL READY



1:1



Col. / 75 9160

CLASSIC GREY GRADIENT

accent ring: black matte
metal parts: ruthenium silky matte
decoration: black matte
temple ends: black matte
temple tips: titanium silky shiny



OPTICAL READY



POL



1:1



Col. / 75 9230

POL GREEN

SILHOUETTE LIGHT MANAGEMENT®

accent ring: black matte
metal parts: gold silky matte
decoration: black matte
temple ends: black matte
temple tips: gold silky matte



OPTICAL READY



1:1



Col. / 75 9340

BLUE MIRROR GRADIENT

SILHOUETTE LIGHT MANAGEMENT®


accent ring: black matte
metal parts: black shiny
decoration: black matte
temple ends: black matte
temple tips: black shiny



GROOVED GLAZING

Milling of optical lenses with nylon-groove

Groove-depth:	0.7 mm
Groove-width:	0.8 mm
Basis curve frame:	6B
Basis curve lens:	4-6 B
Minimum thickness of lens rim:	1.8 - 2.0 mm



Transfer shape only via formers or OMA-files!

ATTENTION: due to minimalist diameters of front frame do not heat under any circumstances!

Insert lens from behind!

Note: mounting from the front could crack the lens


Boxing System



Metal frame made of High-Tech Titanium
Lenses: polycarbonate
Curving: base 6
100 % UV A-, B-, C-protection

SPARE PARTS


B 8724
BM 642
(incl. GK 294)



GK 294

AC 554


MST 943




SOG 142, 161, 163
(incl. BLS 48+56)

BA 911-2

cardboard box FK 118-3
case SHE 181-3
cleaning cloth SHS 32
certificate ZE 344




BLS 85
SP 96 GL



P 0036
universal mounting-box

for optical glazing

OPTICAL READY
 SOG 146/541 clear lens
BLS 58

